

# CERTIFICATE OF CONFORMITY

Certificate No.: KEYS23072104001SR1LD-01

**Applicant :** FOSHAN JIN HAOTAI LIGHTING ACCESSORIES CO.,LTD  
**Address :** Datong Industrial Zone, Qiaobai Road, Xiqiao Town, Nanhai District, Foshan City  
**Manufacturer :** FOSHAN JIN HAOTAI LIGHTING ACCESSORIES CO.,LTD  
**Address :** Datong Industrial Zone, Qiaobai Road, Xiqiao Town, Nanhai District, Foshan City  
**Trade mark :** N/A  
**Product :** Track lamp  
**Power Rating :** AC220-240V, 50/60Hz,12A  
**Model No. :** 3-wired Track, length=1m,1.5m, 2m, 3m

**Low Voltage Directive - 2014/35/EU**

The standard(s) used for showing compliance with the essential requirements:

**Applicable Standard(s)** EN IEC 60598-1:2021+A11:2022  
EN IEC 60598-2-1:2021  
EN 62493:2015  
EN 60570:2003 + A1:2018 + A2:2020

This certificate is part of the full test report(s) and should be read in conjunction with the test report:KEYS23072104001SR1LD-01.This certificate is based on an evaluation of one sample of above mentioned product. It does not imply assessment of the production of the product. Without the written approval of Guangdong KEYS Testing Technology Co., Ltd., this certificate is not permitted to be reproduced, except in full. It is not permitted to use the test lab's logo. The CE marking may only be used if all the relevant and effective European Directives are applicable.



**Jason Zhan**  
**Manager**

**Date: August 2, 2023**

**Guangdong KEYS Testing Technology Co., Ltd.**

6 / f, Building B, Chuangyigu Industrial Park, No.5 Hehe Street, Songxi Road, Hengkeng, Liaobu, Dongguan ,  
Guangdong, China

Tel: + 86-0769-89798319

<http://www.keys-lab.com> E-mail: [info@keys-lab.com](mailto:info@keys-lab.com)

### Additional model:

|                                                 |                                            |                                               |                                              |
|-------------------------------------------------|--------------------------------------------|-----------------------------------------------|----------------------------------------------|
| 2-wired Track, length=1m,1.5m,2m,3 m            | 2 wired power supply connector             | 2 wired end cap                               | 2 wired "I" mini coupler                     |
| 2 wired "L" coupler                             | 2 wired "T" coupler                        | 2 wired "X" coupler                           | 2 wired flexible coupler                     |
| 2 wired Adaptor                                 | 2 wired Electrical Box                     | 2 wired Suspension Kit                        | 3-wired Track, length=1m,1.5m, 2m, 3m        |
| 3 wired power supply connector                  | 3 wired end cap                            | 3 wired "I" mini coupler                      | 3 wired "I" coupler                          |
| 3 wired "L" coupler                             | 3 wired "T" coupler                        | 3 wired "X" coupler                           | 3 wired flexible coupler                     |
| 3 wired Adaptor                                 | 3 wired Electrical Box                     | 3 wired Suspension Kit                        | 4F-wired Track, length=1m,1.5m, 2m, 3m       |
| 4F wired power supply connector                 | 4F wired end cap                           | 4F wired "I" mini coupler                     | 4F wired "I" coupler                         |
| 4F wired "L" coupler                            | 4F wired "T" coupler                       | 4F wired "X" coupler                          | 4F wired flexible coupler                    |
| 4 wired Adaptor                                 | 4 wired Electrical Box                     | 4 wired Suspension Kit                        | 4Y-wired Track, length=1m, 1.5m, 2m, 3m      |
| 4Y wired power supply connector                 | 4Y wired end cap                           | 4Y wired "I" mini coupler                     | 4Y wired "I" coupler                         |
| 4Y wired "L" coupler                            | 4Y wired "T" coupler                       | 4Y wired "X" coupler                          | 4Y wired flexible coupler                    |
| 4Y wired Suspension Kit                         | 2 Wires low voltage showcase Track         | 2 Wires low voltage Adaptor                   | 2 Wires high voltage showcase Track          |
| 2 Wires high voltage Adaptor                    | 3 Wires high voltage showcase Track        | 3 Wires high voltage Adaptor                  | Recessed Track Clip                          |
| Recessed 4FR wired Track, length=1m,1.5m,2m,3 m | Recessed 4FR wired power supply connector  | Recessed 4FR wired end cup                    | Recessed 4FR wired "I" coupler               |
| Recessed 4FR wired "L" coupler                  | Recessed 4FR wired "T" coupler             | Recessed 4FR wired "X" coupler                | Recessed 3 wired Track, length=1m,1.5m,2m,3m |
| Recessed 3 wired power supply connector         | Recessed 3 wired end cup                   | Recessed 3 wired "I" coupler                  | Recessed 3 wired "L" coupler                 |
| Recessed 3 wired "T" coupler                    | Recessed 3 wired "X" coupler               | Recessed 2 wired Track, length=1m,1.5m,2m,3 m | Recessed 2 wired power supply connector      |
| Recessed 2 wired end cup                        | Recessed 2 wired "I" coupler               | Recessed 2 wired "L" coupler                  | Recessed 2 wired "T" coupler                 |
| Recessed 2 wired "X" coupler                    | Multi-function Track, length=1m,1.5m,2m,3m | Multi-function Track power supply connector   | Multi-function Track end cup                 |
| Multi-function Track "I" mini coupler           | Multi-function Track "L" coupler           | Multi-function Track "T" coupler              | Multi-function Track "X" coupler             |
| Multi-function Track Suspension Clamp           | Die Casting Track Light Housing Kits       | Cold Forging Track Light Housing Kits         | Lathe Aluminium Track Light Housing Kits     |
| Downlight Housing                               | Surfaced Magnetic Track Rail               | Recessed Magnetic Track Rail                  | Soft flexible connector                      |

### Guangdong KEYS Testing Technology Co., Ltd.

6 / f, Building B, Chuangyigu Industrial Park, No.5 Hehe Street, Songxi Road, Hengkeng, Liaobu, Dongguan , Guangdong, China

Tel:+ 86-0769-89798319

<http://www.keys-lab.com> E-mail: [info@keys-lab.com](mailto:info@keys-lab.com)

|                                  |                                       |                                  |                                |
|----------------------------------|---------------------------------------|----------------------------------|--------------------------------|
| I Joint for Magnetic Track Rail  | Magnetic Power Connector              | Magnetic Adapter (Long style)    | Magnetic Adapter (Short style) |
| Vertical L Connector -- Surfaced | L Connector --Surfaced                | Vertical L Connector -- Recessed | L Connector --Recessed         |
| Magnetic Track Light Housing     | 6-wired Track, length=1m,1.5m, 2m, 3m | 6 wired power supply connector   | 6 wired end cap                |
| 6 wired "I" mini coupler         | 6 wired "I" coupler                   | 6 wired "L" coupler              | 6 wired "T" coupler            |
| 6 wired "X" coupler              | 6 wired flexible coupler              | 6 wired Adaptor                  | 6 wired Electrical Box         |
| 6 wired Suspension Kit           |                                       |                                  |                                |

# KEYS

## Guangdong KEYS Testing Technology Co., Ltd.

6 / f, Building B, Chuangyigu Industrial Park, No.5 Hehe Street, Songxi Road, Hengkeng, Liaobu, Dongguan , Guangdong, China

Tel:+ 86-0769-89798319

<http://www.keys-lab.com> E-mail: [info@keys-lab.com](mailto:info@keys-lab.com)